

ATORVASTATIN PROTECTS AGAINST LIVER AND VASCULAR DAMAGE IN A MODEL OF DIET INDUCED STEATOHEPATITIS BY RESETTING FXR AND GPBAR1 SIGNALING

By Silvia Marchianò^{1*}, Michele Biagioli^{1*}, Rosalinda Roselli², Angela Zampella², Cristina Di Giorgio¹, Martina Bordoni¹, Rachele Bellini¹, Elva Morretta³, Maria Chiara Monti³, Eleonora Distrutti⁴, and Stefano Fiorucci¹

From: ¹ University of Perugia, Department of Medicine and Surgery, Perugia, Italy;
² University of Naples Federico II, Department of Pharmacy, Naples, Italy;
³ Department of Pharmacy, University of Salerno, Italy;
⁴ Azienda Ospedaliera di Perugia, Perugia, Italy

WILEY

[Home](#) [My Dashboard](#) [Authors](#) [Reviewers](#) [Help](#)



[My Articles](#) [Communication History](#) [Order History](#)

[My Author Profile](#)

[← Back to Dashboard](#)

Manage this article



The FASEB Journal

Atorvastatin protects against liver and vascular damage in a model of diet induced steatohepatitis by resetting FXR and GPBAR1 signaling

DOI: 10.1096/fj.202101397R

Status: In Production